


## ZETOLAN-MEK Plus

41 years' service to the concrete industry

100% concrete-compatible – 100% machine-friendly and therefore not comparable with any previously used product or protective agent

Test results overleaf

### with the MEK Plus-Formula



Well maintained equipment/trucks last longer = your investment is more profitable long term!

Machines/trucks maintained with hammers = leads to breakdowns!

Clean and maintained mixers and trucks = makes for the best quality concrete!

Shorter cleaning times = longer production times!

Chloride free products = no risk of corrosion!

Clean, reliable, solvent-free products = greater job safety!

Top class biodegradability = environmentally friendly!

Clean work places = high morale and motivation of your staff!

which shows higher profits



# With the MEK Plus formula, you seriously reduce cleaning time. An easy win for the intelligent cost accountant

ZETOLAN-MEK Plus has been developed through close teamwork with our successful partners in the construction industry.

Profit from the positive experience of your industrial partners or your competition!

#### **ZETOLAN®-MEK**

- Protects mixers and concrete equipment from the adhesion of concrete
- Cuts cleaning time dramatically = lower labour costs
- Longer service life of the machinery due to better care
- Contains no dangerous solvents or heavy metals
- Certified by the
   Hygiene Institut
   Gelsenkirchen:
   "highly biodegradable"

Other products may do the job but at higher labour costs, higher consumption rates, higher maintenance costs, higher risk factors.



# **ZETOLAN-MEK** *Plus* is the new protection and maintenance system

It is not comparable with the old method of mixer protection procedure when first thing in the morning a liberal dose of cutting oil is applied which is mostly removed by the first mix of concrete. That's how effective that method proves to be. ZETOLAN-MEK *Plus*, after the end of the working day - usually in the evenings – after the normal cleaning procedure with water, is applied direct on to the surface while it's still wet. The water runs away and now begins the ZETOLAN-MEK *Plus* night shift.

The effectiveness of the system for the protection and removal of concrete for cleaner equipment exposed to concrete contamination

ZETOLAN-MEK *Plus* is active on hard existing concrete deposits but harmless to fresh concrete. (Test certificate available). The active component in the MEK *Plus* formula penetrates the capillaries of the hardened concrete and breaks them down, layer by layer, millimetre by millimetre with a daily spraying, effective in days or sometimes weeks. ZETO-LAN-MEK *Plus* dissolves existing concrete in this way and at the same time protects and maintains.

The equipment becomes and remains clean!

#### The economics

The time consuming and hitherto aggressive concrete removal methods like "Hammer washing" etc. are no longer necessary. Plant and trucks no longer need be damaged by crude methods. Entirely abolishing the use of acid products, cleaning becomes a gentle art. By this money-saving practice the adhesion of concrete on mixers, trucks and re-cycling storage is averted. Cleaning times are reduced to a fraction! Generally the required time for cleaning will be reduced by a half to a third

Test certificates from the Hygiene-Institut des Ruhrgebietes, Gelsenkirchen and the Baustoffpruefzentrum Rheinland and MSDS forms can be accessed on: www.leyde.com

We can also send them at your request.

#### LEYCO- MV 7 SPRAY PUMP

#### The effective sprayer technology to minimise consumption



## LEYCO MV 7 "airless" fine sprayer with time saving spray

The fine spraying equipment is pre-mounted on the delivery barrel and makes for a considerable saving in time.

As a general rule the job is effectively done in a mere 2-3 minutes.

## The economics Significantly reduced, targeted consumption.

ZETOLAN-MEK3 is applied precisely where it belongs – to prevent the adhesion of concrete and to protect surfaces and mixer equipment, concrete trucks or pumps!

#### Time saving

The gain over usual methods, which take 15 - 20 minutes. This is easily calculated in Euros.

#### Workplace and environmental safety

Due to the airless pump spray action, no aerosol mist is produced. It is very significant that the Workplace Protection Code is in general very seldom followed one hundred percent. Un-noticed spillage of the product due to the fixed assembly of the spray apparatus is not possible.

#### Service and special purchase terms

We carry out the installlation, putting the equipment into service and training work operatives. Moreover we offer you our budget purchase price, which is 40% below normal trade price.

#### ZETOLAN-MEK *Plus* = A WIN! WIN! WIN! SITUATION

- 1. WIN for your company
- Excellent price/value comparison
- Cuts cleaning time dramatically
- Excellent biologically degradable properties- thus no problems with the environment protection authorities, Health and Safety Executive, and most importantly with water resources protection regulations.
- Due to visibly bright and clean lorries, plant and equipment you gain the best image with clients. 'Quality concrete in quality packing'. This was your aim when you designed the logo and colours for your company's image as the flagship in the market.
- Lower personal risk because the Company Managers are personally responsible for work place safety and the implementation of the Code relating to the Federal Water Act.

- 2. WIN for your operational staff and delivery personnel.
- No more spraying first thing in the morning: start the day without 'a nose full'of oily spray and save half an hour too!
- ZETOLAN-MEK Plus contains no dangerous solvents or heavy metals which are a hazard to health and most batchers unknowingly inhale - why do their eyes smart and their lungs wheeze? Because safety masks are not often worn, even if provided.
- More satisfaction in the workplace with clean plant, pumps and lorries. It brings out the best in the staff and leads to pride of workmanship and a well run establishment, proof that management cares for the conditions in which people work.

- 3. WIN for your valuable investment
- No damage to the mixing plants and lorries caused by the great "hammer cleaning" method resulting in peeling paintwork and dented plating - and still the concrete sticks even better!
- Improves maintenance and lubrication giving a longer life for your machines resulting in a higher return.
- LEYDE products have been developed over more than 40 years and hold a pre-eminent place in the concrete industry

Stop using old methods and products, and let professional LEYDE products do the work they do best, so you can get on with the work that you do best: Producing concrete!

#### **ZETOLAN-MEK** *Plus* – the formula for all mixer types and ready mix trucks









#### LEYCOCHEM-Products - Innovative and always a nose ahead of the competition

### Whosoever follows in another's footsteps will never overtake"

(Old saying)

## Our customers are giving delighted reports of dramatic time savings from using ZETOLAN-MEK Plus.

Reduce cleaning time by even just half-an-hour and you have already saved about CHF 25 per day per person involved.

#### ZETOLAN-MEK Plus is 100% concrete-compa tible and especially kind to seals, insulation

resting to								
Herm Jürg Industriese 50999 Kir	155	Gmält						
				Datum	19.12.2006			
				Kumber Nr.	24850			
Aufraggeber Profungsgeg		LEYCO Chem Verträglichkeitss Belondruckfesti	ische Leyde C rrifung in Verbir	ImbH dung mit der Wirku	ng auf die			
Liefertag	06.11.2006	AC NO	1.5332.100	Betorgon	C25/30			
Grabinorii	(3) 16	Konsisterut	F3	Austrechall an	477			
Festigheitsen	lwcvi.rg	tangsam		(largean, r	vite(schriet)			
Herstellverk.	Pulheim	Firme	Heidelberge	r Beton Rheinland (	SmbH & Co. KG			
		ckfestigkeit 04.12.06		Profater Worlekantenlange	28 Tag 150 mm			
Datum der Pr			442-3					
Batum der Pr Badwo	nrung der Würfel	442-1						
	hrung der Wurfel Gewicht	442-1 Faumgewicht	Druckfache	Bruchlast	Druckfeelighett			
Bedero			Druckfache (owl)	Bruchlast (KN)	Druckfestgriet (Neum')			
Prohosel Ar 1	Gewicht	Raungewicht	THE PROPERTY.					
Baded Prohorsel Ar	Gewicht (Ng)	Raungewicht (t/m²)	Jow"	jenj	(Neset)			

and plastic parts. This cannot be taken for granted in all products. Unsuitable products result in considerable subsequent costs.

Here for example the results of tests carried out at LIEB-HERR AG in Switzerland:

Rubber 5 mm thick and 88.5 mm long was immersed for 21 days in each of the products listed below.

The dimensional changes due to swelling/deformation may be seen in the table.

Supplier F	Product name Length (	mm) Diffe	Difference (%)		
	Original length	88,5	0,00	0,000	
MB.	Rhfinish 2	97,3	8,80	9,944	
MOX	S.turn 6	98,6	10,10	11,412	
PTECH	Paol 6	101,3	12,80	14,463	
BLER	Mischerschutz	102,6	14,10	15,932	
SI	Mischerschutz	104,2	15,70	17,740	
LEYCO	ZETOLAN-MEK 3	94,0	5,50	6,215	
LEYCO	ZETOLAN-MEK Plus	92,0	3,50	3,954	

We are proud of the result since it vindicates our rigorous quality-oriented product policy.

Please realistically check your expenditure on replacing gaskets and other rubber seals and the cost of production stoppages. Customers who have offset the costs resulting from unsuitable products against the use of ZETOLAN-MEK Plus have found themselves substantially in credit thanks to using our product. Act now!

### Response

Fax +49 2236 - 9 66 00 11 or +49 2236 - 9 66 00 10

our mobile number: +49 171 - 45 13 123

#### LEYCO CHEMISCHE LEYDE GmbH

Industriestr. 155 D-50999 Köln

Tel.: +49 2236 - 9 66 00 0 E-Mail: leycochem@leyde.com Internet: www.leyde.com

Phone/directl

Who is responsible in your company for trials? Because we would like to assist him so that he might have the best chance of success.

Name	
First Name:	

Please	send	us	our	free	trial	sample	(5	litres)	of
<b>ZETOL</b>	AN-M	ΕK	Plus	S					

Name:
First Name:
Company:
Position:
Phone/direct:
Cell.Phone:
Fax:
E-mail:
Postcode/ City: ( )
Street:
Stamp